



Homeopathy *in* Mental Health *and Psychiatry*

Bernardo Merizalde, MD, DHI, ABIHM

Homeopathy is a treatment system of complementary and alternative medicine (CAM) that persists despite serious and often erroneous critiques of its theories and application. Throughout the nineteenth century, it was popular in the United States and was supported by many prominent individuals, including: major leaders of industry; political figures, two U.S. presidents, and distinguished scientists and physicians.^{429, 430}

The training of homeopaths along with ongoing research continues, outside the conventional medical healthcare system, adding to hundreds of double-blind placebo controlled studies and+

meta-analysis of randomized controlled studies.⁴³¹ There is an immense amount of information available on homeopathy, with thousands of publications, in many languages, spanning more than two centuries.

Today, a substantial number of health professionals practice homeopathy and millions of users around the world find it both beneficial and cost effective. Homeopathy has grown 500% between 1996 and 2003, while sales of homeopathic medicines have increased 39.5% between 2003 and 2005.⁴³²

⁴²⁹ Ullman, D. *The Homeopathic Revolution: Why Famous People and Cultural Heroes Choose Homeopathy*. North Atlantic Books. 2007 Berkeley, CA. <https://finyurl.com/TheHomeopathicRevolution>

⁴³⁰ Davidson, J *A Century of Homeopaths: Their Influence on Medicine and Health*. Springer Publishing Company, 2014 NY.

⁴³¹ Liga Medicorum Homeopathica Internationalis, (2016) *Scientific Framework Homeopathy - Evidenced Based Homeopathy 2016* <https://www.lmhi.org/Article/Detail/42>

⁴³² Jonas, W. B., Kaptchuk, T. J., & Linde, K. A critical overview of homeopathy. *Ann Inten Med* 2003, 138(5), 393-399. <https://vnvw.scribd.com/document/60281003/Homeopathy-Critical-Overview-of-Homeopathy>

One of the uses of homeopathy, and a reason for its increased popularity, is in the treatment of emotional and psychiatric conditions. Many patients and practitioners are concerned about both the short and long term side effects of conventional psychotropic medications and find homeopathy to be a viable approach.

As in many other Complementary/Alternative Medicine (CAM) modalities, there are no standard homeopathic treatment protocols for any given diagnosis, such as specific homeopathic medicines for anxiety and depression. The indicated medicines need to be individualized according to the uniqueness of the individual patient's symptoms. This makes homeopathic research an even greater challenge to perform and interpret.

Research Studies in Homeopathy

Though detractors of homeopathy deny it, there exists a significant library of evidence supporting its use, even though a significant amount falls short of the highest criteria of evidence-based standards. According to NICE criteria,⁴³³ the highest degree of acceptable scientific evidence includes systematic reviews and meta analysis of randomized controlled trials (RCTs), and RTCs. Other data, such as non-randomized interventions, cohort studies, and non-experimental studies, including case reports, provide meaningful, significant and reliable evidence, because they meet other criteria (even if it is not of the highest order). Such data can be interpreted, as pilot studies, in the Idesigi and formation of protocols leading to higher levels of evidence.⁴³⁴

Samuel Hahnemann, the founder of homeopathy, was a pioneer in the treatment of the mentally ill, advocating for a humane approach to those

suffering.⁴³⁵ In the United States, the first homeopathic hospital for the mentally ill was founded in Middletown, New York, in May 1874, and many of the cases and reports were published in various journals from that time.

Charles Frederick Menninger, founder of the notable Menninger Clinic, a prominent physician in his time, used homeopathy to treat mental illness. Menninger was an active member of the American Institute of Homeopathy, the oldest, extant, national medical association in the U.S., and remarked:

"Homeopathy is wholly capable of satisfying the therapeutic demands of this age better than any other system or school of medicine... it is imperative that we exhaust the homeopathic healing art before resorting to any other mode of treatment, if we wish to accomplish the greatest success possible."⁴³⁶

There are few studies published on the use of homeopathy in mental health that follow current the standards of scientific methodology, though some meta-analyses of such studies suggest an overall positive effect that warrants further investigation. In one of those reviews, 8 of 10 studies demonstrate positive effects with homeopathic treatment, with reasonably high-quality methodology, as applied to the treatment of mental and psychological problems, including: depression, insomnia, nervous tension, agitation, aphasia, and behavior problems in youngsters. These studies suggest a potential value and the need for further research of homeopathic treatments along with the replication of these studies.^{437, 438.}

⁴³³ NICE- National Institute for Health and Care Excellence (2016). <https://www.nice.org.uk/>.

Accessed November 6, 2016.

⁴³⁴ Harbour R, Miller J. A new system for grading recommendations in evidence based guidelines. *BMJ* 2001; (323): 334-336. <https://www.bmj.com/content/323/7308/334>

⁴³⁵ Hahnemann S. *Organon of medicine*, 6th Ed. Trans. Brewster-O'Reilly, W. Redmond, WA: Birdcage Books. 1842/1996.

<https://preview.tinputcom/HahnemannOrganonTransBrewster>

⁴³⁶ Menninger C. Some reflections relative to the symptomatology and materia medica of typhoid fever. *Transactions of American Institute of Homeopathy*, 1897, 430.

⁴³⁷ Kleijnen J, Knipschild P, terRiet G. Clinical trials of homeopathy. *BMJ* 1991; 302(6782): 316-323.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1668980/>

⁴³⁸ Linde K, Clausius N, Ramirez G, et al. Are the clinical effects of homeopathy placebo effects? A meta-analysis of placebo-controlled trials. *Lancet* 1997; 359(9081):834-43.

<https://www.ncbi.nlm.nih.gov/pubmed/9310601>

Other worthwhile published studies suggest that homeopathy could be useful in the treatment of some patients with anxiety and/or depression as an adjunctive or stand-alone treatment. Homeopathy was reported 12 cases of depression and/or anxiety where patients specifically requested it; six of these patients were already taking conventional medicines for these complaints. Clinical response was determined through standardized validated tests, and improvement found to be significant along with a 50% reduction in either measure, a typical criteria in studies of this type.⁴³⁹

It is reasonable to consider whether homeopathy could help medical conditions with no known effective conventional treatment. One such example is persistent mild traumatic brain injury (MTBI), a condition that imparts an inestimable financial burden on patients, families, providers, social services and health insurance providers. An estimated 10 million U.S. citizens are affected by MTBI.⁴⁴⁰

A randomized, double-blind, placebo-controlled pilot study of sixty patients with persistent mild traumatic brain injury determined that homeopathy, alone or used concurrently with conventional pharmacological and rehabilitation therapies, significantly improves symptoms of MTBI.

Patients with post-trauma symptoms for a minimum of 2 years (mean 2.93) were recruited for this study. Treatment efficacy was measured through assessment of statistically significant improvement in ten of the most common MTBI symptoms of social and cognitive dysfunctions (i.e.: reading, writing, scheduling, shopping, socializing).⁴⁴¹

Attention Deficit Hyperactivity Disorder (ADHD) is another condition that benefits from homeopathic treatment. Forty-three children with ADHD were treated in a double-blind, placebo-controlled, study demonstrating a statistically significant improvement in the homeopathy group compared with the placebo group. Improvement was measured by a change in a 5 point scale measuring hyperactivity, according to DSM-IV diagnostic criteria, observed by the children's caretakers.⁴⁴²

In another study of ADHD, one-hundred-and-fifteen children in Switzerland demonstrated positive results after a course of homeopathic treatment over a period of 3 months. This was a double-blind, placebo-controlled study individualizing medicine selection based on each particular patient's symptoms.⁴⁴³

The same research group later performed a "crossover" phase of the study and stopped the homeopathic medicines for a predetermined period of time. They found that those children, who had improved with homeopathy, regressed symptomatically when the placebo was substituted, during the second phase, and improved again when the medicine was restarted, highlighting the effect of homeopathic treatment.⁴⁴⁴

If many children were treated homeopathically they could be spared of years of conventional medication, along with the well-known side effects from these drugs.

In a retrospective analysis of these studies, the investigators described the difficulties encountered

II Davidson J, Morrison R, Shore J, et al. Homeopathic treatment of depression and anxiety. *Alternative Therapies* 1997; 3(1), 46-49. <https://www.ncbi.nlm.nih.gov/pubmed/8997804>

⁴³⁹ Davidson J, Morrison R, Shore J, et al. Homeopathic treatment of depression and anxiety. *Alternative Therapies* 1997; 3(1), 46-49. <https://www.ncbi.nlm.nih.gov/pubmed/8997804>

⁴⁴⁰ Humphreys I, Wood RL, Phillips, et al. The Costs of Traumatic Brain Injury: a literature review. *ClinicoEconomics and Outcomes Research* 2013; 3:5: 281-287. <https://www.ncbi.nlm.nih.gov/pubmed/23836998>

⁴⁴¹ Chapman EH, Weintraub RJ, Milburn MA, et al. Homeopathic treatment of mild traumatic brain injury: A randomized, double-blind,

placebo-controlled clinical trial. *J Head Trauma Rehabil* 1999; 14(6): 521-542. <https://www.ncbi.nlm.nih.gov/pubmed/10671699>


⁴⁴² Lamont J. Homeopathic treatment of attention deficit hyperactivity disorder—a controlled study. *British Homeopathic Journal* 1997;86: 196-200. <https://www.sciencedirect.com/science/article/pii/S0007078597800440>

⁴⁴³ Frei H, Thurneysen A. Treatment for hyperactive children: Homeopathy and methylphenidate compared in a family setting. *British Homeopathic Journal* 2001; 90: 183-188. <https://www.sciencedirect.com/science/article/pii/S1475491699905064>

⁴⁴⁴ Frei H, Everts R, von Ammon K, et al. Homeopathic treatment of children with attention deficit hyperactivity disorder, a randomised, double blind, placebo controlled crossover trial. *European J Pediatrics* (2005; 164: 758-767. <https://www.ncbi.nlm.nih.gov/pubmed/16047154>

while performing this research due to the unique need to identify each individualized medicine, and to design appropriate placebos while blinding both physicians and patients. Consequently, determining the clinical efficacy of one, or several, homeopathic medicines becomes a more complex task.⁴⁴⁵

Complexities make the homeopathic treatment more difficult, and its research in traditional double-blind, placebo controlled, studies, extremely challenging, though not impossible. The evidence of observational, clinically homogeneous, cohort studies that are more concordant with real life practice should also be considered evidentiary, even if they are not of the highest tier of evidence.



Clinical Data

Homeopathic medicine is efficacious in the treatment of many functional somatic syndromes including fibromyalgia and chronic fatigue syndrome. It may also be helpful in relieving symptoms of anxiety and depression but because these conditions typically have a high placebo response rates, and often show spontaneous recovery, it is difficult to determine if this is a homeopathic effect.⁴⁴⁶

⁴⁴⁵ Frei H, Everts R, Von Anunon K, Randomised Controlled Trials of Homeopathy in Hyperactive Children: Treatment Procedure Leads to an Unconventional Study Design. *Homeopathy* 2007; 96: 35-41. <https://www.ncbi.nlm.nih.gov/pubmed/17227746>

⁴⁴⁶ Davidson J, Crawford C, Ives J, et al. Homeopathic Treatments in Psychiatry: A Systematic Review of Randomized Placebo-Controlled

Homeopathic medicines show no significant adverse effects when compared with placebo and lower drop-out rates when compared with conventional studies. Many studies suggest that homeopathic medicine is not only comparable to conventional antidepressants, but is also superior to placebo. In one particular trial (n=50) with moderate to severe depression utilizing a conventional antidepressant (fluoxetine) the side effects markedly interfered with participant performance and led to high rates of treatment interruption. The data proved that homeopathy was not inferior to the antidepressant.⁴⁴⁷

The treatment of moderate to severe depression in one hundred and thirty three perimenopausal and menopausal women was randomized between individualized homeopathic treatment, fluoxetine and placebo and followed for six weeks. The patients in the homeopathic group received a single medicine which could be changed on follow up if deemed necessary. The study concluded that the efficacy of the homeopathic treatment was similar to fluoxetine with respect to depression, but greater than fluoxetine with respect to resolution of menopausal symptoms. Both groups were superior to placebo.⁴⁴⁸

Considering the serious issues of substance use and abuse in the general population and the risk that many conventional medications utilized for psychiatric conditions may exacerbate these issues, the use of homeopathic medicines in the treatment of mental conditions is particularly imperative. A study looking at three hundred and forty-six patients who consulted either a homeopathic general practitioner, a conventional medical general practitioners, or general practitioners who used

Studies. *J Clin Psychiatry* 2011;72(6): 795-805. <https://www.ncbi.nlm.nih.gov/pubmed/21733480>

⁴⁴⁷ Adler UC, Paiva NMP, Cesar AT, et al. Homeopathic Individualized Q-Potencies versus Fluoxetine for Moderate to Severe Depression: Double-Blind, Randomized Non-Inferiority Trial. *Evidence-Based Complementary and Alternative Medicine* 2011; 2011, Article ID 520182, 7 pgs. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3136538/>

⁴⁴⁸ Macias-Cortés EC, Llanes-Gonzalez L, Aguilar-Faisal L et al. Individualized Homeopathic Treatment and Fluoxetine for Moderate to Severe Depression in Pre- and Postmenopausal Women (HOMDEP-MENOP Study): A Randomized, Double-Dummy, Double-Blind, Placebo Controlled Trial. *Plos One* 2015; DOI: 10.1371/journal.pone.0118440 <https://www.ncbi.nlm.nih.gov/pubmed/25768800>

both conventional and homeopathic medicines, for sleeping disorders, demonstrated that patients who chose homeopathy were less likely to use psychotropic drugs through the twelve months of this study. These results are more significant considering that the patients treated with homeopathy were suffering almost twice as much as the patients treated conventionally.⁴⁴⁹

In an innovative pragmatic trial design, a cohort, multiple randomized controlled trial, was developed to permit the assessment of a homeopathic intervention in a "real world" setting. Patients who sought care for depression or anxiety were randomized into two groups who either received treatment as usual, or added homeopathy in addition to the usual care. The trial included one hundred and sixty-two patients who ranged from 18 to 85 years of age. Severity of depression and anxiety ranged between moderate to severe. Seventy percent of the patients had suffered from these conditions for more than five years. Those who supplemented conventional treatment with homeopathic medicine demonstrated significant moderate reduction of depression and anxiety scores that was not noted in the control group.⁴⁵⁰

Another cohort study (n=110) of patients suffering from depression and anxiety, compared those who consulted either a conventional medicine general practitioner or a homeopathic general medicine practitioner. After one year, the patients who consulted homeopaths had greater clinical improvement and reported less psychotropic and benzodiazepine medication use.⁴⁵¹

Thousands of case reports have been published in homeopathic medical journals since the nineteenth century including patients afflicted with various mental disorders who received beneficial homeopathic treatment. Although case reports do not represent the highest standard of investigational inquiry within conventional biomedicine, they are valid representations of successful individualized therapeutic homeopathic interventions. Reports of this calibre are particularly relevant and necessary in CAM modalities, like homeopathy, where "one-size" does not "fit-all."

Many of these collected case descriptions and outcomes have a high level of reliability since they represent conditions with good treatment responses, often where effective conventional medical solutions were not available or had already failed.⁴⁵² These detailed case reports in the homeopathic literature are important and relevant to establishing an evidence-base in the treatment of various conditions including: depression with suicidal ideation, chronic pain, sleep disorders, premenstrual syndrome, anxiety disorders, arthritis of the spine and hips, migraines, and menopausal symptoms,⁴⁵³ phobias, neurosis, stroke sequelae, cerebral dysfunction, Meniere's disease,⁴⁵⁴ acute psychosis⁴⁵⁵, manic-depressive disorder, obsessions,⁴⁵⁶ dissociative disorders, character pathology, posttraumatic stress disorder,⁴⁵⁷ alcoholism,⁴⁵⁸ alcohol withdrawal, delirium tremens (DT), binge drinking,⁴⁵⁹ special needs children with various cognitive handicaps, traumatic brain injury,

⁴⁴⁹ Grimaldi-Bensouda L, Abenhaim L, Massol J, Guillemot D, et al. Utilization of psychotropic drugs by patients consulting for sleeping disorders in homeopathic and conventional primary care settings: the EPI3 cohort study. *Homeopathy* 2015;104 (3): 170-175. <https://www.ncbi.nlm.nih.gov/pubmed/26143449>

⁴⁵⁰ Viksveen P, Relton C & Nicholl. Depressed Patients Treated by homeopaths: a randomized trial using the "cohort multiple randomised trial" (cmRCT) Design *Trials* (2017); 18:299; DOI 10.1186/s1306-017-2040-2 <https://trialsjournal.biomedcentral.com/articles/10.1186/s13063-017-2040-2>

⁴⁵¹ Danno K, Duru G & Vetel JM. Management of Anxiety and Depressive Disorders in Patients > 65 Years of Age by Homeopath General Practitioners versus Conventional General Practitioners, with Overview of the EPI3-LASER Study Results. *Homeopathy* 2018;107(2): 81-89. <https://www.ncbi.nlm.nih.gov/pubmed/29558779>

⁴⁵² Slonim D, White K. Homeopathy and psychiatry. *J Mind Behavior* 1983;4(3): 401-410. <https://www.jstor.org/stable/43852988>

⁴⁵³ Detinis L. *Mental symptoms in homeopathy*. London, England: Beaconsfield Pubs. 1994. https://www.narayana-verlag.com/homeopathy/pdf/Mental-Symptoms-in-Homoeopathy-Luis-Detinis.03000_2Fear.pdf

⁴⁵⁴ Bodman F. *Insights into homeopathy*. Beaconsfield Press, England: Davies and Pinsent Editors.1990.

⁴⁵⁵ Boltz O. Some original investigations on the treatment of schizophrenia and associated symptoms due to a functional disturbance of integration in the diencephalon using the principle of Similia Similibus Curantur. *J Amer Inst Homeopathy* 1968;61(4): 219-234.

⁴⁵⁶ Saine A. *Psychiatric Patients: Back to the Roots: Steps in case taking*. Pg. 261-268. Eindhoven, Netherlands: Lutra Services. 1997.

⁴⁵⁷ Shevin W. Case presentations. *J Amer Inst Homeopathy* 1989;77(2):59-66.

⁴⁵⁸ Gallavardin J. *Psychism and homeopathy*. Pgs. 47-49. New Delhi, India: B. Jain Publishers. 1960/90.

⁴⁵⁹ Grazyna M, Trzebiatowska-Trzeciak o. Homeopathic treatment of alcohol withdrawal. *British Homeopathic Journal with Simile* 1993;82(4):249-251.

irritability, anger, restlessness, sleep disorders, enuresis, encopresis, autistic behaviors, mental retardation, apathy, tantrums, hypersexual behaviour,⁴⁶⁰ autism spectrum disorder (ASD),⁴⁶¹ mental retardation, seizure disorder, temper tantrums, phobias, crying spells, obsessive-compulsive behavior, malicious aggression, self-injury, biting, sleeplessness, mood swings, slow cognitive function, extreme sensory sensitivity, gross and fine motor disturbances, extreme oral sensitivity, aversion to multiple foods, sleeplessness, continuous self-talk,⁴⁶² and behavioural problems.⁴⁶³

Conclusion

Homeopathy was once a highly favoured system of medicine in the U.S., but it fell into decline around the turn of the 20th century. Since the 1970's, due to the limitations of conventional allopathic medicine particularly with respect to the treatment of chronic diseases, there has been a resurgence of homeopathy. All things considered, homeopathic principles are congruent with many established scientific theories and observed phenomena.⁴⁶⁴

Interest in homeopathy is on the ascendance among clinicians and patients worldwide, in part because of the wide breadth of the many positive anecdotal accounts of its efficacy.

The available homeopathic literature is vast, spanning more than 200 years and thousands of publications, with impressive case presentations scattered throughout. It is a challenge to clearly determine treatment efficacy using homeopathy for mental illness, but current evidence is strongly suggestive of its benefits over a wide range of

conditions. It is a safe, viable and cost-effective form of medicine, but much more research is certainly warranted. There are compelling reasons to support the allocation of funds to promote this research.⁴⁶⁵

About the Author:

Bernardo A Merizalde, MD, DHT, ABIMV, is Assistant Clinical Professor of the Departments of Psychiatry and Integrative Medicine at Thomas Jefferson University, Diplomate of the American Board of Holistic and Integrative Medicine, the American Board of Homeotherapeutics, and Board Certified in Psychiatry. Past president of the American Institute of Homeopathy, and an officer in the Executive Committee for the International Homeopathic Medical League.

⁴⁶⁰ Haidvogel M, Lehner E, Resch D. Homeopathic treatment of handicapped children. *British Homeopathic Journal* 1993;82(4): 227-236.

⁴⁶¹ Lansky A. *Impossible Cure-The Promise of Homeopathy*. R.L. Ranch Press, Portola Beach, CA. 2003.

⁴⁶² Rajalakshmi MA. Homeopathic Treatment as Adjunct to Neuropsychological Therapies in Children with Autism Spectrum Disorders. *Int J Public Mental Health and Neurosciences* 2015;2(3):13-18.

⁴⁶³ Cortina J. Enuresis and its homeopathic treatment: Study of 20 cases treated with *Ilex paraguensis*. *British Homeopathic Journal* 1994;83(4): 220-222.

⁴⁶⁴ Merizalde B. *Fundamentals of Complementary, Alternative, and Integrative Medicine*, Marc S. Micozzi MD PhD (Author), Saunders, 6th Edition, 2018.

⁴⁶⁵ Merizalde B. "Homeopathy and Psychiatry," Chapter 9, in: "Integrative Psychiatry", Monti D & Beitman B, eds, Oxford University Press, USA; 1 edition 2009.

<https://epdf.tips/integrative-psychiatry-weil-integrative-medicine-library/25c6ab63ce9c2ef2fc1c3933e105a7615951.html>